

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.02.2016

Revision: 31.08.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

- **1.1 Product identifier**
- **Trade name: BullFrog 93896 Rust Blocker**
- **1.2 Relevant identified uses of the substance or mixture and uses advised against**
No further relevant information available.
- **Application of the substance / the mixture**
Corrosion inhibitors
Coating
- **1.3 Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
Cortec Corporation
4119 White Bear Parkway
St. Paul, MN 55110 USA
Phone (651) 429-1100
Fax (651) 429-1122
- **Information department:** regulatory@cortecvci.com
- **1.4 Emergency telephone number:**
Spill, Leak, Fire, Exposure, or Accident
24 hour CHEMTREC contact:
USA and Canada 1-800-424-9300
International +1-703-527-3887 (collect calls accepted)
UK +(44)-870-8200418

SECTION 2: Hazards identification

- **2.1 Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS07

- Skin Irrit. 2 H315 Causes skin irritation.
- Eye Irrit. 2 H319 Causes serious eye irritation.

- **2.2 Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**
The product is classified and labelled according to the CLP regulation.
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard statements**
H315 Causes skin irritation.
H319 Causes serious eye irritation.
- **Precautionary statements**
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P264 Wash thoroughly after handling.
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P321 Specific treatment (see on this label).
P332+P313 If skin irritation occurs: Get medical advice/attention.

(Contd. on page 2)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.02.2016

Revision: 31.08.2015

Trade name: BullFrog 93896 Rust Blocker

(Contd. of page 1)

P337+P313 If eye irritation persists: Get medical advice/attention.

- **2.3 Other hazards**
- **Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.

SECTION 3: Composition/information on ingredients

- **3.2 Chemical characterisation: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

- **Ingredients:**

CAS: 108-01-0 EINECS: 203-542-8	2-dimethylaminoethanol ⚠ Flam. Liq. 3, H226; ⚠ Skin Corr. 1B, H314; ⚠ Acute Tox. 4, H302; Acute Tox. 4, H312; Acute Tox. 4, H332	≤ 2.5%
CAS: 112-34-5 EINECS: 203-961-6	2-(2-butoxyethoxy)ethanol ⚠ Eye Irrit. 2, H319	≤ 2.5%

- **Additional information**

The specific chemical identity and/or exact percentage (concentration) of composition has been withheld as a trade secret.

For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **After inhalation** Supply fresh air; consult doctor in case of complaints.
- **After skin contact** Immediately wash with water and soap and rinse thoroughly.
- **After eye contact** Rinse opened eye for several minutes under running water.
- **After swallowing** Do not induce vomiting; call for medical help immediately.
- **4.2 Most important symptoms and effects, both acute and delayed** No further relevant information available.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **5.2 Special hazards arising from the substance or mixture**
Nitrogen oxides (NO_x)
Carbon monoxide (CO)

SECTION 6: Accidental release measures

- **6.1 Personal precautions, protective equipment and emergency procedures**



Wear protective equipment. Keep unprotected persons away.

- **6.2 Environmental precautions:** Do not allow undiluted product to enter sewers/surface or ground water

(Contd. on page 3)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.02.2016

Revision: 31.08.2015

Trade name: BullFrog 93896 Rust Blocker

(Contd. of page 2)

- **6.3 Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- **6.4 Reference to other sections**
See Section 7 for information on safe handling
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

SECTION 7: Handling and storage

- **7.1 Precautions for safe handling** No special precautions are necessary if used correctly.
- **Information about protection against explosions and fires:** No special measures required.
- **7.2 Conditions for safe storage, including any incompatibilities**
- **Storage**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:**
Do not store together with acids.
Store away from foodstuffs.
- **Further information about storage conditions:** Keep product from freezing.
- **7.3 Specific end use(s)** No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

- **Components with limit values that require monitoring at the workplace:**

108-01-0 2-dimethylaminoethanol ($\leq 2.5\%$)

WEL	Short-term value: 22 mg/m ³ , 6 ppm
	Long-term value: 7.4 mg/m ³ , 2 ppm

112-34-5 2-(2-butoxyethoxy)ethanol ($\leq 2.5\%$)

WEL	Short-term value: 101.2 mg/m ³ , 15 ppm
	Long-term value: 67.5 mg/m ³ , 10 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.
- **8.2 Exposure controls**
- **Personal protective equipment**
- **General protective and hygienic measures** Wash hands before breaks and at the end of work.
- **Breathing equipment:**
Use suitable respiratory protective device only when aerosol or mist is formed.
Filter A/P2.
- **Protection of hands:**
Latex Gloves
Protective gloves.
I.E., Nitrile, Viton, Neoprene
The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation
- **Penetration time of glove material**
The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.
- **Eye protection:** Goggles recommended during refilling.

(Contd. on page 4)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.02.2016

Revision: 31.08.2015

Trade name: BullFrog 93896 Rust Blocker

(Contd. of page 3)

· **Body protection:** Protective work clothing.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Appearance:

· **Form:** Viscous liquid

· **Colour:** Light beige

· **Odour:** Characteristic

· **Odour threshold:** Not determined.

· **pH-value at 20 °C:** 8.7-10 (Neat)

· Change in condition

· **Melting point/Melting range:** undetermined

· **Boiling point/Boiling range:** undetermined

· **Flash point:** Not applicable

· **Flammability (solid, gaseous)** Not applicable.

· Ignition temperature:

· **Decomposition temperature:** Not determined.

· **Self igniting:** Product is not selfigniting.

· **Danger of explosion:** Product does not present an explosion hazard.

· Explosion limits:

· **Lower:** Not determined.

· **Upper:** Not determined.

· **Vapour pressure at 20 °C:** 23 hPa (*)

· **Density at 20 °C:** 0.95-1.01 g/cm³

· **Relative density** Not determined.

· **Vapour density** Not determined.

· **Evaporation rate** Not determined.

· Solubility in / Miscibility with

· **Water:** Fully miscible

· **Partition coefficient (n-octanol/water):** Not determined.

· Viscosity:

· **dynamic:** Not determined.

· **kinematic:** Not determined.

· 9.2 Other information

The above data are typical values and do not constitute a specification.

*Properties have been calculated.

SECTION 10: Stability and reactivity

· **10.1 Reactivity** Reacts with acids.

· **10.2 Chemical stability**

· **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

· **10.3 Possibility of hazardous reactions** No dangerous reactions known

(Contd. on page 5)

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.02.2016

Revision: 31.08.2015

Trade name: BullFrog 93896 Rust Blocker

(Contd. of page 4)

- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:** Acids
- **10.6 Hazardous decomposition products:** No dangerous decomposition products known

SECTION 11: Toxicological information

- **11.1 Information on toxicological effects**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values that are relevant for classification:

108-01-0 2-dimethylaminoethanol

Oral	LD50	1183 mg/kg (Rat)
Dermal	LD50	1219 mg/kg (Rabbit)
Inhalative	LC50/4 h	6 mg/l (Rat)

112-34-5 2-(2-butoxyethoxy)ethanol

Oral	LD50	2410 mg/kg (Rat)
Dermal	LD50	2764 mg/kg (Rabbit)
Inhalative	LC50/4 h	>29 mg/l (Rat)

64742-65-0 Distillates (petroleum), solvent-dewaxed heavy paraffinic

Oral	LD50	5,000 mg/kg (Rat)
Dermal	LD50	5,000 mg/kg (Rabbit)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Repeated or prolonged skin contact with this product may produce skin irritation.
Causes skin irritation.
- **Serious eye damage/irritation**
Causes serious eye irritation.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.
- **Aspiration hazard** Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

· 12.1 Toxicity

· Aquatic toxicity:

LC50/ 48 h (static)	3110 mg/l (M. beryllina (Inland Silverside)) (48 Hours)
	2610 mg/l (Mysidopsis bahia)
LOEC (static)	4800 mg/l (M. beryllina (Inland Silverside)) (LOEC)
	2400 mg/l (Mysidopsis bahia) (LOEC)
NOEC (static)	2400 mg/l (M. beryllina (Inland Silverside)) (2 days)
	1200 mg/l (Mysidopsis bahia) (2 days)

- **12.2 Persistence and degradability** No further relevant information available.
- **12.3 Bioaccumulative potential** No further relevant information available.

(Contd. on page 6)

Safety data sheet

according to 1907/2006/EC, Article 31


Printing date 15.02.2016

Revision: 31.08.2015

Trade name: BullFrog 93896 Rust Blocker

(Contd. of page 5)

- **12.4 Mobility in soil** No further relevant information available.
- **Additional ecological information:**
- **General notes:**
Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water.



Do not allow product to reach ground water, water course or sewage system.

Danger to drinking water if even small quantities leak into the ground.

- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **12.6 Other adverse effects** No further relevant information available.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

The European Waste Catalogue (EWC) waste codes do not refer to product but to origin. The manufacturer is therefore unable to quote a waste code for products which are used in various industries. Any codes shown should be regarded as a recommendation to the user.

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
08 02 00	wastes from MFSU of other coatings (including ceramic materials)
08 02 99	wastes not otherwise specified

- **Uncleaned packagings:**
- **Recommendation:** Disposal must be made according to official regulations.
- **Recommended cleansing agent:** Water, if necessary with cleansing agents.

SECTION 14: Transport information

- | | |
|---|------|
| <ul style="list-style-type: none"> · 14.1 UN-Number · ADR, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.2 UN proper shipping name · ADR, ADN, IMDG, IATA | Void |
| <ul style="list-style-type: none"> · 14.3 Transport hazard class(es) · ADR, ADN, IMDG, IATA · Class | Void |
| <ul style="list-style-type: none"> · 14.4 Packing group · ADR, IMDG, IATA | Void |

(Contd. on page 7)

GB

Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 15.02.2016

Revision: 31.08.2015

Trade name: BullFrog 93896 Rust Blocker

(Contd. of page 6)

- | | |
|--|-----------------|
| · 14.5 Environmental hazards: | |
| · Marine pollutant: | No |
| · 14.6 Special precautions for user | Not applicable. |
| · 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code | Not applicable. |
| · UN "Model Regulation": | Void |

SECTION 15: Regulatory information

- **15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
The following chemicals are contained in this product below 0.05%: styrene, formaldehyde, methanol, acrylic acid, and methyl methacrylate.
 - **Directive 2012/18/EU**
 - **Named dangerous substances - ANNEX I** None of the ingredients is listed.
 - **National regulations**
 - **Technical instructions (air):**
- | Class | Share in % |
|--------|------------|
| Wasser | 16.2 |
| NK | 1.5 |
- **Water hazard class:** Water hazard class 2 (Self-assessment): hazardous for water.
 - **15.2 Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.
Cortec Corporation does not warranty any translation of this SDS not created by Cortec Corporation.

- **Relevant phrases**
H226 Flammable liquid and vapour.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
- **Abbreviations and acronyms:**
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)
ICAO: International Civil Aviation Organisation
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
GHS: Globally Harmonised System of Classification and Labelling of Chemicals
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative

(Contd. on page 8)

Safety data sheet
according to 1907/2006/EC, Article 31

Printing date 15.02.2016

Revision: 31.08.2015

Trade name: BullFrog 93896 Rust Blocker

(Contd. of page 7)

Flam. Liq. 3: Flammable liquids, Hazard Category 3
Acute Tox. 4: Acute toxicity, Hazard Category 4
Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B
Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2
Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

· *** Data compared to the previous version altered.**

GB